



...passionate about your events

Candy Floss Machine Risk Assessment					
Product					
Hazard	Who's at risk?	What is the risk?	Control Measures	Risk Rating	Adequate Control Measures?
Electric Shock	Operator Participants Spectators	Injury to operator Injury to participants Injury to spectators	All electrical equipment is PAT tested annually. All electrical equipment is visual checked before and after each use for wear. All electrical equipment is IP rated to at least 44 and suitable and rated for outdoor use. Machine to be used indoors or under cover outdoors if raining.	Low	Yes
Slips, trips and falls	Operator Participants Spectators	Injury to operator Injury to participants Injury to spectators	All wires or leads are ran around the perimeter of the site. Power source to be no longer then 25m from equipment. If crossing any foot paths or public areas wires to be covered or obstructed to reduce risk of tripping. Installation team to ensure no equipment is left after set up or collection. Users restricted to the area to the front of the inflatable only.	Low	Yes
Operator Injury	Operator	Injury to operator	Machine to be operated by a trained member of staff or an operator over the age of 18 to which training has been provide too. Operator should avoid contact with moving or heated parts to avoid personal injury or burn.	Low	Yes
Allergens/ Food Poisoning	Operator Participants	Allergic Reaction	Food ingredients only white granulated sugar and flossine. All ingredient provided in seal packets/containers to remove risk of contamination.	Low	Yes
Manual Handling	Operator	Injury to operator	All members of staff are trained in manual handling. All members of staff not to lift any weight they cannot manage. Staff to use sack trolleys to move equipment.	Low	Yes
<p>The above information is based on the manufacturers operating guidelines and BK Inflatables extensive use and experience of operating the equipment within current HSE requirements. The above risk assessment should be read in conjunction with BK Inflatables current Method Statement. BK Inflatables holds £5 million public liability insurance subject to the company's terms and conditions. Any incidents must be reported to BK Inflatables. If you have any questions relating to the use of the equipment, please contact BK Inflatables. Risk assessment completed and reviewed on 17th February 2023 by Michael Barr.</p>					
<p>BK Inflatables Limited—Registered in England No. 14333110—N11 Troon Business Centre, Humberstone Lane, Leicester, LE4 9HA</p>					