

## **BOUNCY KINGS**

### **GIANT SLIDE RISK ASSESSMENT**

<b>Risk</b>	<b>Existing control Measures</b>	<b>Likelihood 1-5</b>	<b>Harm 1-5</b>	<b>Risk 1-5</b>	<b>Further Controls to reduce risk</b>	<b>Risk Acceptable Y/N</b>
Over enthusiastic Participants	Adult supervision at all times	2	1	1	Show users safety cartoons supplied	
Jumping off the front of the unit	Adult supervision at all times	1	1	1	Additional safety mats in front of the unit	
Larger users colliding with smaller users	Adult supervision at all times	1	1	1	Participants to be put into similar age/height groups. To slide feet first only.	
Falls from heights	Adult supervision at all times	2	5	1	Do not allow user to climb walls or beams. Show use safety cartoons supplied.	
Tripping over anchorage points/spare equipment/ electrical cable	All anchor points used per manufacturers instructions and spare equipment leads etc either stowed/erected safely.	1	1	1	In event of large number of users attending, additional safety fencing used. Where possible electrical cables does not cross any public pathway. If avoidable cable erected overhead or covered.	
Injury through users items	All shoes, glasses, jewellery MUST be removed before using the unit.	1	5	5	NONE	
Choking	Always ensure no food, drink or chewing gum is used on the inflatable.	1	4	4	NONE	
Any other localised risks 1) 2) 3)						

<p><b>Risk Assessment carried out by:</b></p> <p>.....</p>	<p><b>Date:</b></p> <p>...../...../.....</p>	<p><b>Any other action required:</b></p> <p>Ensure that operators follow all “Operating Instructions” as supplied</p>
--	--	---

**That above information is based on manufacturers criteria and  
experience from extensive use of the equipment**

**Signature.....**